


# CLIMAMAT



**CLIMAMAT** are climatic maturing installations for a variety of treatment processes. The installations for maturing and cold-smoking are equipped with individual air flow systems and can be adapted on a customer-specific basis to suit both products and production capacities, as well as local conditions.

**WE BUILD YOUR SOLUTION**

[www.vetec-anlagenbau.com](http://www.vetec-anlagenbau.com)



# BENEFITS

**1.** | TOP ENERGY EFFICIENCY

**2.** | ABSOLUTE CONSISTENCY IN PROCESSES & PRODUCTS

**3.** | CAPTIVATING QUALITY

**4.** | HIGH LEVEL OF FLEXIBILITY



Maturing, drying and smoking:

The CLIMAMAT climatic maturing installation sets standards. Your products are treated particularly gently and reliably whilst achieving a high degree of standardization.

The adjacent illustration shows the TWIN variant. Here, the vertical air flow of the classic climatic maturing installation is combined with the horizontal air flow of the storage room. The switch between air directions can be controlled automatically or manually.


Air flow conditions inside the chamber are of key importance in guaranteeing the consistency of your products. The tried and tested air change flap system takes care of this.

The patented automatic circulating and fresh air systems give you the right tool for controlling these processes reliably and reproducibly.

Fig. VETEC ANLAGENBAU air change flap, here on a CLIMAMAT TWIN

Information,  
QR Code:





## VARIANTS

### CLIMAMAT <sup>TWIN</sup>

The TWIN variant combines the classic process steps of pre-maturing and post-maturing in a single installation.

## OPTIONS



#### TYPE OF HEATING

The CLIMAMAT is available in steam-heated, electrically-heated designs and heating with warm water.



#### SMOKE GENERATOR

We supply Glowing Smoke Generators, Liquid Smoke Systems, Steam Smoke and Friction Smoke Generators for a huge variety of smoking processes.



#### FULLY AUTOMATIC CIP-SYSTEM

The fully-automatic central cleaning system with rotating nozzles in the chamber achieves the best possible hygiene. A foam pump is also available as an option.



#### ETHERNET CONNECTION

Messages are e-mailed to a defined e-mail distribution list.



#### ADDITIONAL DUCT CLEANING

Additional spray nozzles in the injection duct achieve maximum hygiene.



#### TYPE OF COOLING

The Installation can be designed for the cooling media liquid ammonia, freon or glycol.



#### MICROMAT ANALYZER

The system reduces complex production processes and a wide-ranging distribution of installation components to a reliable & convenient general overview for the operator.

# TECHNICAL DATA




Fig.1 CLIMAMAT with vertical air flow




Fig.2 CLIMAMAT<sup>TWIN</sup>

Exploit the potential of our installations to the economic maximum by using our world-wide network of consultants.  
Feel free to contact us:

**VETEC ANLAGENBAU GMBH**

Karoline-Herschel-Straße 2  
27283 Verden · Germany

T +49 4231 777-7  
F +49 4231 777-868

[sales@vetec-anlagenbau.com](mailto:sales@vetec-anlagenbau.com)  
[www.vetec-anlagenbau.com](http://www.vetec-anlagenbau.com)

Version 1.2 2023  
We reserve the right to  
make technical modifications  
modifications © Marketing

